




MODEL SP1530




SECTION A
TYPE 'U' FRAME




SECTION B



TYPE 'F' FRAME



SECTION C JAMB MULLION TYPE U FRAME
SECTION D INTERLOCKED MULLION
SECTION E CONCEALED MULLION
SECTION F JAMB MULLION TYPE F FRAME



□ SILL OPTION

SP1530 SPECIFICATIONS

BLADES WEATHER RESISTANT ASSEMBLY - S/S MECHANICAL STANDARD WELDED OPTIONAL

FRAME CHANNEL FRAME TYPE U EXTRUDED ALUMINUM 6063-T52 FRAME .081(2mm) □ .125(3mm) □
 FLANGE FRAME TYPE F BLADE .081(2mm) □ .125(3mm) □
 MULLIONS VISIBLE MULLION TYPE VM SCREENS ALUM. TYPE A GALVANIZED TYPE G INSECT TYPE I
 CONCEALED MULLION TYPE CM 1/2" X 1/2" .063 WIRE C/W FRAME 1/2" X 1/2" 19 GAUGE 18X14 ALUMINUM MESH

L#	QUANT.	OPENING SIZE		FRAME	MULL.	SECTIONS WIDE	SCREENS	LOCATION
		WIDTH	HEIGHT					
L-1								
L-2								
L-3								
L-4								
L-5								
L-6								
L-7								

McGILL LOUVERS

1734 Orangebrook Crt. (905) 420-0485 TEL.
 Pickering Ontario (905) 420-4564 FAX
 CANADA (888)-624-4557 TEL.
 L1W 3G8 (888)-624-4558 FAX
 rev. 3/03 EMAIL : engineering@the-mcgill-group.com

FINISHES

COLOUR # _____
 MILL FINISH
 5000 SERIES AAMA -603 BAKED ENAMEL
 10000 SERIES AAMA -605.2 KYNAR 2 COAT
 15000 SERIES AAMA -605.2 KYNAR 3 COAT
 CLEAR ANODIZING □ .0004 □ .0007
 COLOUR ANODIZING _____

PROJECT		
ARCH/ENG.		
CONTRACTOR		
REPRESENTATIVE		
SCALE	DATE	SHEET
		OF