



MODEL VS645




SECTION A

SECTION B




TYPE 'U' FRAME



TYPE 'U' FRAME

25mm



- SECTION C
JAMB MULLION
TYPE U FRAME
- SECTION D
INTERLOCKED
MULLION
- SECTION E
CONCEALED
MULLION
- SECTION F
JAMB MULLION
TYPE F FRAME

VS645 SPECIFICATIONS

BLADES REVERSE SLOPE ASSEMBLY - S/S MECHANICAL STANDARD WELDED OPTIONAL

FRAME CHANNEL TYPE U FLANGE TYPE F EXTRUDED ALUMINUM 6063-T52 FRAME .080(2mm) BLADE .080(2mm)

MULLIONS VISIBLE MULLION TYPE VM SCREENS ALUM. TYPE A GALVANIZED TYPE G INSECT TYPE I
 CONCEALED MULLION TYPE CM 1/2" X 1/2" .063 WIRE 1/2" X 1/2" 18X14 ALUMINUM
 INTERMEDIATE SUPPORT TYPE IM C/W FRAME 19 GAUGE MESH

L#	QUANT.	OPENING SIZE		FRAME	MULL.	SECTIONS WIDE	SCREENS	LOCATION
		WIDTH	HEIGHT					
L-1								
L-2								
L-3								
L-4								
L-5								
L-6								
L-7								

McGILL LOUVERS

1734 Orangebrook Ct. (905) 420-0485 TEL.
 Pickering Ontario (905) 420-4564 FAX
 CANADA (888)-624-4557 TEL.
 L1W 3G8 (888)-624-4558 FAX
 rev. 3/03 EMAIL : engineering@the-mcgill-group.com

FINISHES

COLOUR # _____

- MILL FINISH
- 5000 SERIES AAMA -603 BAKED ENAMEL
- 10000 SERIES AAMA -605.2 KYNAR 2 COAT
- 15000 SERIES AAMA -605.2 KYNAR 3 COAT
- CLEAR ANODIZING .0004 .0007
- COLOUR ANODIZING _____

PROJECT		
ARCH/ENG.		
CONTRACTOR		
REPRESENTATIVE		
SCALE	DATE	SHEET
		OF